

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
1	BRS	L1	13	((MURAT) near2 (BELGE)).INV.	US- PGPUB ; USPAT ; USOCR	2007/04/1 3 10:47	
2	BRS	L2	7	((RAINER) near2 (STORN)).INV.	US- PGPUB ; USPAT ; USOCR	2007/04/1 3 10:47	
3	BRS	L3	1	(normal near2 mode with topology near3 mode\$1) and (1 or 2)	US- PGPUB ; USPAT ; EPO; JPO	2007/04/1 3 10:49	
4	BRS	L4	1	(normal near2 mode with topology near3 mode\$1) same (Modem\$1 or transceiver\$1 or "2"\$DSL near3 modem\$1 or central adj2 office with customer adj2 device)	US- PGPUB ; USPAT ; EPO; JPO	2007/04/1 3 10:51	
5	BRS	L5	2	(normal near2 mode with topology near3 mode\$1) same (switch\$6 or select\$4) same (control\$4)	US- PGPUB ; USPAT ; EPO; JPO	2007/04/1 3 10:52	
6	BRS	L6	4	(normal near2 mode with topology near3 mode\$1) same (switch\$6 or select\$4)	US- PGPUB ; USPAT ; EPO; JPO	2007/04/1 3 10:57	

	Error Definition	Err ors
1		
2		
3		
4		
5		
6		

	Type	L #	Hits	Search Text	DBs	Time Stamp	Comments
7	BRS	L7	1	6 and modem\$1	US-PGPUB ; USPAT ; EPO; JPO	2007/04/13 10:54	
8	BRS	L8	1	6 and (DSL or XDSL or transceiver\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/04/13 10:54	
9	BRS	L9	12193	(switch\$6 or select\$4 or MUX or multiplex\$3) near4 (DSL near3 modem\$1 or XDSL near3 modem\$1 or transceiver\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/04/13 10:58	
10	BRS	L10	1	9 same (normal near2 mode with topology near3 mode\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/04/13 10:58	
11	BRS	L11	1	(modem\$1 or transceiver\$1 or "TX/RX" or transmit\$4 near2 receiv\$3 or transmission near3 reception) same (normal near2 mode with topology near3 mode\$1)	US-PGPUB ; USPAT ; EPO; JPO	2007/04/13 10:59	

	Error Definition	Err ors
7		
8		
9		
10		
11		